

## SQL Programming Project Tables

### OracleFlix Online Media Rentals

Table name: **CUSTOMERS**

Column Name	CUSTOMER_ID	LAST_NAME	FIRST_NAME	HOME_PHONE	ADDRESS	CITY	STATE	EMAIL	CELL_PHONE
<b>Key Type</b>	PK								
<b>Not Null = NN Unique = U</b>	NN, U	NN	NN	NN	NN	NN	NN		
<b>Data Type</b>	NUMBER	VARCHAR2	VARCHAR2	VARCHAR2	VARCHAR2	VARCHAR2	VARCHAR2	VARCHAR2	VARCHAR2
<b>Length</b>	10	25	25	12	100	30	2	25	12

Sample Data – Make up at least six members, using the sequence to generate the PKs:

CUSTOMER_ID	LAST_NAME	FIRST_NAME	HOME_PHONE	ADDRESS	CITY	STATE	EMAIL	CELL_PHONE
101	Palombo	Lisa	716-270-2669	123 Main St	Buffalo	NY	palombo@ecc.edu	716-555-1212

Table Name: **MOVIES**

Column Name	TITLE_ID	TITLE	DESCRIPTION	RATING	CATEGORY	RELEASE_DATE
<b>Key Type</b>	PK					
<b>Not Null = NN</b>	NN, U	NN	NN			NN

<b>Unique = U</b>						
<b>Check</b>				G, PG, PG13, R,	DRAMA, COMEDY, ACTION, CHILD, SCIFI, DOCUMENTARY	
<b>Data Type</b>	NUMBER	VARCHAR2	VARCHAR2	VARCHAR2	VARCHAR2	DATE
<b>Length</b>	10	60	400	4	20	

Sample Data – Add at least six titles, use [www.imdb.com](http://www.imdb.com) for information and the sequence for the PKs:

TITLE_ID	TITLE	DESCRIPTION	RATING	CATEGORY	RELEASE_DATE
1	Remember the Titans	The true story of a newly appointed African-American coach and his high school team on their first season as a racially integrated unit.	PG	DRAMA	29-SEP-2000

Table Name: **MEDIA**

Column Name	MEDIA_ID	FORMAT	TITLE_ID
<b>Key Type</b>	PK		FK
<b>Not Null = NN</b>	NN, U	NN	NN
<b>Unique = U</b>			
<b>FK Ref Table</b>			MOVIES
<b>FK Ref Column</b>			TITLE_ID
<b>Data Type</b>	NUMBER	VARCHAR2	NUMBER
<b>Length</b>	10	3	10

Sample Data : Use TITLE\_ID from the MOVIES table, with one or two copies of each title, using the sequence to generate the PKs:

MEDIA_ID	FORMAT	TITLE_ID
92	DVD	1
93	VHS	1

Table Name: **RENTAL HISTORY**

<b>Column Name</b>	MEDIA_ID	RENTAL_DATE	CUSTOMER_ID	RETURN_DATE
<b>KeyType</b>	PK, FK1	PK	FK2	
<b>Not Null = NN Unique = U</b>	NN, U	NN	NN	
<b>Default Value</b>		SYSDATE		
<b>FK Ref Table</b>	MEDIA		CUSTOMERS	
<b>FK Ref Column</b>	MEDIA_ID		CUSTOMER_ID	
<b>Data Type</b>	NUMBER	DATE	NUMBER	DATE
<b>Length</b>	10		10	

Sample Data – Add four rows using MEDIA\_ID from the MEDIA table and CUSTOMER\_ID from the CUSTOMER table:

MEDIA_ID	RENTAL_DATE	CUSTOMER_ID	RETURN_DATE
92	19-SEP-2010	101	20-SEP-2010

Table Name: **ACTORS**

Table Definition:

<b>Column Name</b>	ACTOR_ID	STAGE_NAME	FIRST_NAME	LAST_NAME	BIRTH_DATE
<b>Key Type</b>	PK				
<b>Not Null = NN Unique = U</b>	NN, U	NN	NN	NN	NN
<b>Data Type</b>	NUMBER	VARCHAR2	VARCHAR2	VARCHAR2	DATE
<b>Length</b>	10	40	25	25	

Sample Data : add at least 4 rows, using the sequence to generate the PKs :

ACTOR_ID	STAGE_NAME	FIRST_NAME	LAST_NAME	BIRTH_DATE
1001	Brad Pitt	William	Pitt	18-DEC-1963

Table Name: **STAR\_BILLINGS**

Column Name	ACTOR_ID	TITLE_ID	COMMENTS
Key Type	PK	PK	
Not Null = NN Unique = U	NN	NN	
FK Ref Table	ACTORS	MOVIES	
FK Ref Column	ACTOR_ID	TITLE_ID	
Data Type	NUMBER	NUMBER	VARCHAR2
Length	10	10	40

Sample Data : add at least 4 rows, using ACTOR\_IDs from the ACTORS table and TITLE\_IDs from the MOVIES table :

ACTOR_ID	TITLE_ID	COMMENTS
1001	2	Romantic Lead